

# A640


## Hercules

**Montagehandleiding**  
**Notice de montage**  
**Assembling manual**  
**Montageanleitung**  
**Instrucciones para el montaje**


Leeftijd:  
Age: 6-12  
Age group:  
Alter:  
Edad:

EUROPLAY nv  
Eegene 9  
B-9200 DENDERMONDE  
tel. 32.52.22 66 22  
fax.32.52.22 67 22  
www.europlay.eu


Dat.: 15/06/2012  
Page: 1/6




VALHOOGTE / HAUTEUR DE CHUTE  
FALL HEIGHT / FALLHÖHE / ALTURA DE CAÍDA



VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /  
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD
















AFMETINGEN  
DIMENSIONS  
MASSE  
DIMENSIONES  
L : 3560  
H : 1000  
Br : 1000







Samenvoegingszone avonturenpad  
Zone de liaison parcours d'aventures  
Verbindungsfeld survival parcours  
Linking zone adventure path



Benodigdheden -- Liste des pièces -- Requisites -- Benötigtes -- Accesorios





4x  A640-H-V-01 Eik	4x  Verzinkt staal M12x210	
4x  A640-H-V-02 Eik	4x  Verzinkt staal M12x230	
1x  A640-H-H-01 Lariks	14x  Polyamide	
1x  A640-H-H-02 Lariks	14x  Verzinkt staal M12	14x  Verzinkt staal M12
1x  A640-H-H-02 Lariks	6x  Verzinkt staal	
3x  3036		











Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.  
 Par temps sec il faut resserrer régulièrement toute la visserie.  
 By dry and warm weather check the tightness of all bolts and screws.  
 Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.  
 Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.