

S150

ZESHOEKSCHOMMEL
BALANÇOIRE HEXAGONALE
SECHSECKSCHAUKEL
HEXAGONAL SWING
COLUMPIO HEXAGONAL
ALTALENA ESAGONALE


Montagehandleiding
Notice de montage
Assembling manual
Montageanleitung
Instrucciones para el montaje
Istruzioni di installazione

Leeftijd:
Age: 4-15
Age group:
Alter:
Edad:
Età:


EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 9/04/2015


Page: 1/8



VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA
















VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA




AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L: 6,6m
H: 2,6m
Br: 6,1m


±61m2

Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti


3x S150-H-A-01																							
																							
(3500xØ120)		(±19kg)																					
3x S150-H-B-01																							
																							
(3500xØ120)		(±19kg)																					
2x S150-H-VX-01																							
																							
(2500xØ140)		(±19kg)																					
3x S150-H-VY-01																							
																							
(2500xØ140)		(±19kg)																					
1x S150-H-VZ-01																							
																							
(2500xØ140)		(±19kg)																					
6x Ø140	6x L251	12x L200																					
																							
3x L101	3x L1011																						
																							
<table><tr><td>12x</td><td rowspan="2"></td><td>M12x160</td></tr><tr><td>18x</td><td>M12x250</td></tr><tr><td>12x</td><td></td><td>M8x60</td></tr><tr><td>12x</td><td rowspan="2"></td><td>M8</td></tr><tr><td>36x</td><td>M12</td></tr><tr><td>36x</td><td rowspan="2"></td><td>M12</td></tr><tr><td></td><td>12x  Ø120xØ12 Blue</td></tr><tr><td>12x</td><td colspan="2"></td></tr></table>			12x		M12x160	18x	M12x250	12x		M8x60	12x		M8	36x	M12	36x		M12		12x  Ø120xØ12 Blue	12x		
12x		M12x160																					
18x		M12x250																					
12x		M8x60																					
12x		M8																					
36x		M12																					
36x		M12																					
		12x  Ø120xØ12 Blue																					
12x																							







②







③





4




5




6





7



8






9



72h

3x L101

3x L1011



Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.

By dry and warm weather check the tightness of all bolts and screws.

Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.

Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.

Con tempo asciutto, tutti i bulloni e le viti devono essere avvitati nuovamente.