

S337

Zweefboog
Arc suspendu
Hängebogen
Suspension arch

Montagehandleiding
Notice de montage
Assembling manual
Montageanleitung


Instrucciones para el montaje

Leeftijd:
Age:
Age group:
Alter:
Edad:


Europlay NV
Eegene 9
B-9200 Oudegem
Tel. 32.52.22.66.22
Fax. 32.52.22.67.22
www.europlay.eu

Dat.: 10/10/2007


Page: 1/5



VALHOOGTE / HAUTEUR DE CHUTE
FALL HEIGHT / FALLHÖHE / ALTURA DE CAÍDA






VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD





AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
L : 2150 mm
H: 1760 mm
Br: 1300 mm


Benodigdheden Liste des pièces Requisites Benötigtes Accesorios

1x		4x		M12x130
2x	 S337-V1 Ø120mm 1900 mm	4x		M12x140
2x	 Ø120mm	4x		M12x130
4x		2x		M10x125
4x		4x		12,5x18x15
2x		2x		M10
		4x		M12
		2x		M10
		4x		M12
		2x		M10
		4x		M12


1





2





3




4






7



M10x125



8



Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.