

U200

VIKINGBOOT (achtersteven)
BATEAU VIKING (poupe)
WIKINGERSCHIFF (Hintersteven)
VIKING BOAT (stern)
BARCO VIKINGO - POPA

Montagehandleiding Notice de montage Assembling manual Montageanleitung

Instrucciones para el montaje Istruzioni di installazione

Leeftijd:
Age:
Age group:
Alter:
Edad:
Età: 4-12


EUROPLAY nv
Eegene 9
B-9200 DENDERMONDE
tel. 32.52.22 66 22
fax.32.52.22 67 22
www.europlay.eu

Dat.: 28/04/2015


Page: 1/13



VALHOOGTE / HAUTEUR DE CHUTE /
FALL HEIGHT / FALLHÖHE/
ALTURA DE CAÍDA / ALTEZZA DI CADUTA






















VEILIGHEIDSAFSTAND / ESPACE DE CHUTE / SAFETY AREA /
SICHERHEITSAFSTAND / ZONA DE SEGURIDAD / DISTANZA DI SICUREZZA



AFMETINGEN
DIMENSIONS
MASSE
DIMENSIONES
DIMENSIONI
L : 4925
H: 4110
Br: 2400




Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti







A	B	C	D	E	F	G	H	I	
1x  Ø16 L:3,2m 23,5kg	1x  Ø12 L:2,07m 8kg	1x  Ø12 L:2,4m 9,5kg	2x  Ø12 L:2,07m 8kg	2x  Ø12 L:2,07m 8kg	1x  Ø12 L:2,07m 8kg	1x  Ø12 L:2,42m 9,5kg	1x  Ø12 L:2,07m 8kg	1x  Ø10 L:1,5m 4kg	1x  17kg

	1x	L	1x		1x	
	1x	M				
	1x	O				
	1x	N				
	1x	J				
	1x	K				
	1x	P				
	1x	Q				
	1x	R				
	2x	S				
	1x	T				
				1x		


Benodigdheden - Liste des pièces - Materials - Benötigtes - Accesorios - Requisiti

		2x M10 x 70 7x M12 x 160 7x x 180 1x x 190 4x x 210 5x x 230 3x x 250	
	1x 1x 1x	2x M8 x 35 2x x 135 1x x 150 2x M12 x 25	
	1x 1x	3x M8 x 70 1x M10 x 140	
	1x 6,5 kg	2x M8 3x M10 38x M12	
	1x 5 kg	5x M8 7x M10 38x M12	
	1x 5,6 kg	38x M12	
	4x 10,5 kg	150x 4,5 x 50 10x 4,5 x 70	
	2x 7,6 kg	7x	
	2x 9,5 kg	9x Ø50	
		4x Ø32	
		1x	
		1x 7,5 kg	
		1x 20 kg	









4





5












7




8




9



10





Bij droog weer moeten alle bouten en schroeven opnieuw aangespannen worden.
Par temps sec il faut resserrer régulièrement toute la visserie.
By dry and warm weather check the tightness of all bolts and screws.
Bei trockenem Wetter müssen alle Schrauben und Bolzen aufs neue angespannt werden.
Para el tiempo seco, se necesita cerrar o ajustar los tornillos y tuercas.